

**OIL SOLUBLE DEMULSIFIER  
SOT - 1920**

**PRODUCT USE:**

SOT-1920 is Water-In-Oil De-emulsifier, intended to effectively separate formation water from emulsion in crude oil.

**DESCRIPTION:**

SOT-1920 is Ethoxylated Block Co-Polymer, ethoxylated Resin & Surfactant blend in Aromatic Solvent. SOT-1920 has been developed for Jhalora Field of Ahmedabad Project, North Gujarat.

**APPLICATION:**

SOT-1920 should be used neat as supplied and a positive displacement pump is advised for accurate metering. Further upstream the unit; the better mixing with the emulsion of the de-emulsifier is achieved.

**HANDLING:**

SOT-1920 can be stored in closed containers away from direct sunlight at ambient temperature. During handling, direct contact with Human Body is to be avoided. Safety goggles and gloves are recommended for safe handling. The spillage can be handled with dry absorbent like sand, sawdust etc. On Ingestion/Eye contact with the product, medical attention should be sought immediately.

**PHYSICAL DATA:**

Appearance:	Brown Colour Homogenous Liquid.
Specific Gravity:	0/92 ±0.02 at 25°C
Viscosity:	< 30 CPS at 25°C
pH Range:	6.0 - 7.0
Pour Point:	< 0°C
Solubility:	Soluble in Aromatic Solvents, Toluene, Iso Propyl Alcohol, and Kerosene & Crude Oil. Insoluble in Water.

**AVAILABILITY:**

185 Kg. Net in New M.S Barrels